Subject Index—Volume 33

A

abdomen, CT image segmentation, 3-D deformable models for, 348
abscess, spinal, MRI in experimental model (preliminary report), 246
adrenergic blockade, phentolamine-induced, and renal damage in spontaneously hypertensive rats, 104
adverse reactions, to contrast media, 1
agenesis, inferior vena cava, intra- and infrahepatic (case report), 113
amorphous silicon X-ray detector, versus screen-film radiography
  cortical bone defects and fractures, 33
  simulated chest lesion, 98
anatomy
  forearm, 6
  lesion detectability and, 203
aneurysms, saccular, endovascular embolization and, 366
angiography
  cerebral, direct magnification technique for (preliminary report), 421
  conventional versus MRA, patient preference and (overview), 553
  magnetic resonance. *See also* Magnetic resonance angiography
    contrast-enhanced. *See* Contrast-enhanced magnetic resonance angiography
    digital subtraction, using 3-D TRICKS (review), 496
  X-ray, historical perspective (review), 496
angiojet, declotting of embolized temporary vena cava filter by, 91
animals
  aortic atherosclerotic lesions, ultrasound and MRI assessment, 464
  CE-MRA in
    with gadomer-17, 699
    portal venous system, enhancement mechanism differences, 637
  cerebral angiography, direct magnification technique for (preliminary report), 421
  contrast media and
    influence on vascular responses in, 356
    testing in (review), 182
  hepatocellular carcinoma in, unenhanced versus enhanced spin-echo MRI of, 80
  metastatic disease, contrast-enhanced MRI of, 263
  myocardial fibrosis assessment in, 22
  neonatal hypoxic-ischemic brain injury, MRI of, 377
  renal artery stenosis model in, 322
  thrombolytic therapy efficacy in, MION-enhanced MRA determining, 853
antibodies, immunocontrast agents and, 752
aorta
  atherosclerotic lesions in animals, ultrasound and MRI assessment, 464
  CE-MRA of (review), 618
arterial occlusive disease, phosphorus-31 magnetic resonance spectroscopy in, 329
arteries. *See* Renal artery(ies); Vascular studies
arthrography. *See* Magnetic resonance arthrography
artifact, magnetic resonance, 528
atherosclerosis
  aortic lesionsin animals, ultrasound and MRI assessment, 464
  renal revascularization and, MRI and CE-MRA compared, 660
automated bolus-detection algorithm, CE-MRA using, 515

B

biopsy
  of breast, core biopsy washings, 51
  of lung, electron microscopy for specimen assessment (preliminary report), 177
blood clots, binding and lysing with MRX-408, 880
blood flow
  evaluation with transcutaneous interruption of ultrasound contrast agents, 893
  in splanchnic vasculature, CE-MRA of, 682
blood pool contrast agents, in CE-MRA
  animal study with gadomer-17, 699
  future directions (editorial), 709
brain
  echoplanar BOLD-based fMRI studies of TMS response in, 336
  use of air-filled ultrasound agents and, 129
brain injury, hypoxic-ischemic, in neonatal rat, 377
brain tumors, enigmatic oligodendroglioma MR features and, 222
breast, core biopsy washings, 51
breast cancer, CARI sonography in, 341
butyrylcholinesterase, human plasma activity, effect of contrast media on (preliminary report), 308

C

caloric stimulation, of splanchnic vasculature, CE-MRA before and after, 682
calvarial bone lesions, diagnosis of, logistic regression and neural network models compared, 738
carcinoma
  of breast, CARI sonography in, 341
  of uterine cervix, renal complications after radiation therapy for, 74
  VX2, experimentally induced, 39
cardiomyopathy, myocardial fibrosis assessment in animals, 22
cardiovascular tolerance, to contrast media (review), 182
CARI sonography, in breast cancer diagnosis, 341
cartilage
  low-field-strength extremity-only visualization of, 401
  magnetic resonance arthrography of, 193
  thickness of, 3-D magnetic resonance images, 289
CE-MRA. *See* Contrast-enhanced magnetic resonance angiography
cerebral angiography, in rat, direct magnification technique for (preliminary report), 421
cerebral vasculature
  air-filled ultrasound agents and, 129
  CE-MRA of (review), 560
cerebrospinal fluid, human, MRI relaxation times in, 153
cervical arteries, CE-MRA of (review), 573
cervical spine
  kinematic magnetic resonance imaging of, 279
  spondylosis, spinal canal changes on MRI in, 444
chest
  low-dose spiral CT of thorax, 68
  simulated lesions in, normal versus reduced radiation doses, 98
cine magnetic resonance imaging, in coronary artery disease, 12
cirrhosis of the liver, versus noncirrhotic liver, 717
clinical amplitude/velocity reference imaging, in breast cancer, 341
color Doppler sonography, tumor vascularity, in experimentally induced VX2 carcinoma, 39
computed radiography, image compression and, 456
computed tomography
  abdominal, 3-D deformable models for image segmentation, 348
  adverse reactions to contrast media for, 1
  biphasic spiral
    versus digital angiography, in hepatic artery thrombosis, 136
    in hepatocellular carcinoma, 216
  of calvarial bone lesions, logistic regression and neural network models compared, 738

Subject Index—Volume 33

A

abdomen, CT image segmentation, 3-D deformable models for, 348
abscess, spinal, MRI in experimental model (preliminary report), 246
adrenergic blockade, phentolamine-induced, and renal damage in spontaneously hypertensive rats, 104
adverse reactions, to contrast media, 1
agenesis, inferior vena cava, intra- and infrahepatic (case report), 113
amorphous silicon X-ray detector, versus screen-film radiography
  cortical bone defects and fractures, 33
  simulated chest lesion, 98
anatomy
  forearm, 6
  lesion detectability and, 203
aneurysms, saccular, endovascular embolization and, 366
angiography
  cerebral, direct magnification technique for (preliminary report), 421
  conventional versus MRA, patient preference and (overview), 553
  magnetic resonance. *See also* Magnetic resonance angiography
    contrast-enhanced. *See* Contrast-enhanced magnetic resonance angiography
    digital subtraction, using 3-D TRICKS (review), 496
  X-ray, historical perspective (review), 496
angiojet, declotting of embolized temporary vena cava filter by, 91
animals
  aortic atherosclerotic lesions, ultrasound and MRI assessment, 464
  CE-MRA in
    with gadomer-17, 699
    portal venous system, enhancement mechanism differences, 637
  cerebral angiography, direct magnification technique for (preliminary report), 421
  contrast media and
    influence on vascular responses in, 356
    testing in (review), 182
  hepatocellular carcinoma in, unenhanced versus enhanced spin-echo MRI of, 80
  metastatic disease, contrast-enhanced MRI of, 263
  myocardial fibrosis assessment in, 22
  neonatal hypoxic-ischemic brain injury, MRI of, 377
  renal artery stenosis model in, 322
  thrombolytic therapy efficacy in, MION-enhanced MRA determining, 853
antibodies, immunocontrast agents and, 752
aorta
  atherosclerotic lesions in animals, ultrasound and MRI assessment, 464
  CE-MRA of (review), 618
arterial occlusive disease, phosphorus-31 magnetic resonance spectroscopy in, 329
arteries. *See* Renal artery(ies); Vascular studies
arthrography. *See* Magnetic resonance arthrography
artifact, magnetic resonance, 528
atherosclerosis
  aortic lesionsin animals, ultrasound and MRI assessment, 464
  renal revascularization and, MRI and CE-MRA compared, 660
automated bolus-detection algorithm, CE-MRA using, 515

B

biopsy
  of breast, core biopsy washings, 51
  of lung, electron microscopy for specimen assessment (preliminary report), 177
blood clots, binding and lysing with MRX-408, 880
blood flow
  evaluation with transcutaneous interruption of ultrasound contrast agents, 893
  in splanchnic vasculature, CE-MRA of, 682
blood pool contrast agents, in CE-MRA
  animal study with gadomer-17, 699
  future directions (editorial), 709
brain
  echoplanar BOLD-based fMRI studies of TMS response in, 336
  use of air-filled ultrasound agents and, 129
brain injury, hypoxic-ischemic, in neonatal rat, 377
brain tumors, enigmatic oligodendroglioma MR features and, 222
breast, core biopsy washings, 51
breast cancer, CARI sonography in, 341
butyrylcholinesterase, human plasma activity, effect of contrast media on (preliminary report), 308

C

caloric stimulation, of splanchnic vasculature, CE-MRA before and after, 682
calvarial bone lesions, diagnosis of, logistic regression and neural network models compared, 738
carcinoma
  of breast, CARI sonography in, 341
  of uterine cervix, renal complications after radiation therapy for, 74
  VX2, experimentally induced, 39
cardiomyopathy, myocardial fibrosis assessment in animals, 22
cardiovascular tolerance, to contrast media (review), 182
CARI sonography, in breast cancer diagnosis, 341
cartilage
  low-field-strength extremity-only visualization of, 401
  magnetic resonance arthrography of, 193
  thickness of, 3-D magnetic resonance images, 289
CE-MRA. *See* Contrast-enhanced magnetic resonance angiography
cerebral angiography, in rat, direct magnification technique for (preliminary report), 421
cerebral vasculature
  air-filled ultrasound agents and, 129
  CE-MRA of (review), 560
cerebrospinal fluid, human, MRI relaxation times in, 153
cervical arteries, CE-MRA of (review), 573
cervical spine
  kinematic magnetic resonance imaging of, 279
  spondylosis, spinal canal changes on MRI in, 444
chest
  low-dose spiral CT of thorax, 68
  simulated lesions in, normal versus reduced radiation doses, 98
cine magnetic resonance imaging, in coronary artery disease, 12
cirrhosis of the liver, versus noncirrhotic liver, 717
clinical amplitude/velocity reference imaging, in breast cancer, 341
color Doppler sonography, tumor vascularity, in experimentally induced VX2 carcinoma, 39
computed radiography, image compression and, 456
computed tomography
  abdominal, 3-D deformable models for image segmentation, 348
  adverse reactions to contrast media for, 1
  biphasic spiral
    versus digital angiography, in hepatic artery thrombosis, 136
    in hepatocellular carcinoma, 216
  of calvarial bone lesions, logistic regression and neural network models compared, 738

electron beam, versus ^{99m}Tc sestamibi scanning, measuring myocardial infarct size, 313
findings in rabbit liver after ethanol injection, 723
low-dose spiral, of thorax, 68
contour analysis, of gated SPECT images, myocardial wall thickening and, 257
contrast agents
binding and lysing of blood clots using, 880
blood pool. *See* Blood pool contrast agents
dysprosium-DOTA-PAMAM dendrimers, 841
dysprosium(III) complexes, 835
enhancement characteristics, cirrhotic versus noncirrhotic liver, 717
gadobenate dimeglumine, 798
inhaled gases and, canine studies, 871
magnetic relaxation, in magnetization transfer imaging, 773
MnHA stability in biologic fluids, 847
multimeric, for MRI, 779
paramagnetic, 810
liposomes, 810
multinuclear MR characterization of, 828
pharmacokinetics of, in vitro and animal testing (review), 182
polymeric immunoconjugates as, 752
renal vasospasm induced by, 858
for ultrasonography
microspheres, 863
paclitaxel-carrying lipospheres, 886
transcutaneous interruption in blood flow evaluation, 893
contrast-enhanced magnetic resonance angiography
automated bolus-detection algorithm, 515
future directions (editorial), 485
for blood pool agents (editorial), 709
of hand (review), 687
image appearance determinants (review), 488
MION-enhanced, determining thrombolytic therapy efficacy in rabbits, 853
of peripheral vessels (review), 538
of portal venous system
enhancement mechanism differences, 637
prior to portosystemic shunts and liver transplantation, 628
techniques in (review), 628
potential applications and pitfalls (review), 524
rationale (editorial), 483
of renal arteries, 653
strategies for, 506
of splanchnic vasculature, 682
technology assessment (overview), 547
3-D, optimization of, 528
contrast enhancement
for hepatocellular carcinoma detection, 80
for liver imaging, 61
magnetic resonance angiography. *See* Contrast-enhanced magnetic resonance angiography
in MRI
liver models, 810
of metastatic disease in animal model, 263
of reperfused myocardial infarction, 386
spinal abscess model (preliminary report), 246
of splenic metastasis model, 45
vascularity in reactive lymph nodes, 146
contrast media
adverse reactions to, 1
in experimentally induced osteosarcoma, 236
influence on blood coagulation (correspondence), 56
influence on vascular responses in rat, 356
in vitro and animal testing (review), 182
iodinated, and human plasma activity (preliminary report), 308
for joint cartilage visualization, 193
in magnetic resonance imaging
of heart, 12
of myocardial fibrosis in animal model, 22
relaxation and susceptibility synergism and, 268
in ultrasonography
air-filled, 129
new, 209
core biopsy, breast, 51
coronary arteries, CE-MRA of (review), 578
coronary artery disease, cine magnetic resonance imaging in, 12
cortical bone defects, X-ray detector versus screen-film radiography, 33
CT. *See* Computed tomography
Curie magnetization relaxation
by dysprosium-DOTA-PAMAM, 841
by dysprosium(III) complexes, 835

D

data fusion, in cardiac MRI, 12
deep vein thrombosis, bedside testing in, 232
dialysis patient, metabolism evaluation in, 171
diatrizoate, renal artery responses in rat, 356
digital angiography, biphasic spiral CT versus, in hepatic artery thrombosis evaluation, 136
digital subtraction angiography, magnetic resonance, historical perspective (review), 496
direct magnification technique, for cerebral angiography in rat (preliminary report), 421
disc herniations, kinematic MRI, 279
dog
effect of inhaled gases on ultrasound contrast in, 871
irradiated thigh muscle in, follow-up imaging studies, 300
Doppler sonography. *See also* Power Doppler sonography
flow velocity measurements, and MR phase contrast imaging correlation, 427
intermittent harmonic, in myocardial perfusion assessment, 209
vascularity in reactive lymph nodes, 146
duplication, postrenal segment of inferior vena cava, 113
dysprosium, relaxation and susceptibility synergism and, 268
dysprosium-DOTA-PAMAM dendrimers, as macromolecular T2 contrast agents, 841
dysprosium(III) complexes, relaxation by, 835

E

echoplanar BOLD-based fMRI studies, of TMS response, 336
edge detection, computerized techniques, in knee joint imaging, 289
elbow, effusions of (preliminary report), 117
electron beam CT, versus ^{99m}Tc sestamibi scanning, myocardial infarct size and, 313
electron microscopy, lung biopsy assessment by (preliminary report), 177
embolization, endovascular, of saccular aneurysms, 366
endothelin
effect on phentolamine-induced renal damage, 104
renal artery responses to, 356
endovascular embolization, of saccular aneurysms, 366
enzyme inhibition, contrast media effects and (preliminary report), 308
esophageal injury, glutaraldehyde-induced, 730
ethanol injection, changes in rabbit liver after, 723

F

fast spin-echo sequences, for MRI focal hepatic lesion detection, 61
flexion-extension measurements, lumbar spine, 439
flow cytometry, breast stereotactic core biopsy washings, 51
flow velocity, MR phase contrast imaging and intravascular Doppler ultrasound correlation, 427
fMRI. *See* Functional magnetic resonance imaging
focal hepatic lesions, MRI fast spin-echo sequences for, 61
forearm, MRI of, 6
fractal algorithm, for image compression, 456
fractures
  cortical bone, X-ray detector versus screen-film radiography, 33
  distal intraarticular radius, wrist arthrography after, 273
functional magnetic resonance imaging, with concurrent transcranial magnetic stimulation, 336

G

gadobenate dimeglumine, overview of, 798
gadolinium
  macrocyclic chelates, multimerization and, 779
  for MRA
    automated bolus-detection algorithm, 515
    contrast-enhanced
      aorta (review), 587
      cerebral arteries (review), 560
      thoracic aorta and arch vessels (review), 587
    optimization of, 528
    of renal arteries, strategies, 506
  for MRI
    contrast-enhanced, of metastatic disease in animal models, 263
    of reperfused myocardial infarction, 386
    of splenic metastasis model, 45
  multinuclear MR characterization of, 828
  relaxation and susceptibility synergism and, 268
gadolinium-DTPA
  for MRI
    of intravascular stents (preliminary report), 411
    of myocardial fibrosis in animal models, 22
  permeability through hemodialysis membrane, 734
  relaxivity values in human cerebrospinal fluid, 153
gadomer-17, MRA with, 699
gadoxetate disodium, in MRI detection of hepatocellular carcinoma, 80
D-galactose signal enhancement, vascularity in reactive lymph nodes, 146
gated SPECT images, contour analysis of, myocardial wall thickening and, 257
Gd-BOPTA. *See* Gadobenate dimeglumine
glutaraldehyde, esophageal injury induced by, 730
gradient echo techniques, in MRI depiction of reperfused myocardial infarction, 386

H

hand, MRA of (review), 687
hemodialysis membrane, gadolinium-DTPA permeability through, 734
hepatic artery thrombosis, after orthoptic liver transplantation, evaluation techniques, 136
hepatocellular carcinoma, biphasic spiral CT in, 216
hypertension, CE-MRA in
  portal venous system, 644
  renovascular, 653
hypoxia-ischemia, in neonatal rat, MRI of, 377

I

image compression, algorithms compared, 456
image noise, in lesion detectability, 203
image processing, in cardiac MRI, 12
image registration, 3-D magnetic resonance techniques in knee joint, 289
image segmentation, abdominal CT, 3-D deformable models for, 348
infarction. *See* Myocardial infarction
inferior vena cava, agenesis of, intra- and infrahepatic (case report), 113
inhaled gases, ultrasound contrast and, canine studies, 871
injuries, rotator cuff, MRI assessment of, 163
intermittent harmonic power Doppler imaging, in myocardial perfusion assessment, 209
intravascular stents, dynamic MR of (preliminary report), 411
iobitridol, toxic effects on kidney, 393
iohexol
  renal artery responses to, 356
  toxic effects on kidney, 393
iron oxide
  in CE-MRA, particle size effects and, 637
  in experimentally induced osteosarcoma, 236
irradiation, effects on canine thigh muscle, magnetic resonance studies and, 300
ischemia, mesenteric, CE-MRA of, 682

J

joint effusion, imaging implications (preliminary report), 117
JPEG algorithm, for image compression, 456

K

kidney. *See also* Renal *entries*
  contrast media and
    endothelin and nitric oxide responses, 356
    tolerance (review), 182
    toxic effects on, 393
  relaxation and susceptibility synergism in MRI of, 268
  3-D deformable models for CT image segmentation, 348
kinematics, cervical spine imaging, 279
knee joint
  magnetic resonance arthrography of, 193
  3-D magnetic resonance images of, 289

L

lesion detectability, anatomic backgrounds and, 203
ligament
  low-field strength MRI with sonographic and histologic correlation, 433
  lunotriquetral, low-field-strength extremity-only visualization of, 401
liposomes
  in joint cartilage visualization studies, 193
  paramagnetic, contrast efficacy in liver MRI models, 810
liver
  changes after percutaneous ethanol injection in rabbit, 723
  cirrhotic versus noncirrhotic, 717
  contrast-enhanced MRI of metastatic disease in animal models, 263
  neoplasm detection using MRI fast spin-echo sequences, 61
  paramagnetic liposomes contrast efficacy in liver MRI models, 810
liver transplantation
  CE-MRA of portal venous system prior to, 644
  hepatic artery thrombosis after, evaluation techniques, 136
  orthotopic, biphasic spiral CT prior to, 216
logistic regression, calvarial lesion diagnosis accuracy, 738

low-contrast details, in computed radiographs, 456
lumbar spine, flexion-extension measurements, 439
lunotriquetral ligament, low-field-strength extremity-only visualization of, 401
lymph nodes, reactive, Doppler sonography and, 146

M

magnetic relaxation, in magnetization transfer imaging, 773
magnetic resonance angiography
  biphasic spiral CT versus, in hepatic artery thrombosis evaluation, 136
  contrast-enhanced. *See* Contrast-enhanced magnetic resonance angiography
  versus conventional angiography, patient preference and (overview), 553
  with gadomer-17, 699
  of hand (review), 687
  of intravascular stents (preliminary report), 411
  MION-enhanced, determining thrombolytic therapy efficacy in rabbits, 853
  of renal arteries, 506
magnetic resonance arthrography
  of joint cartilage, 193
  of wrist, after distal intraarticular radius fracture, 273
magnetic resonance digital subtraction angiography, using 3-D TRICKS (review), 496
magnetic resonance imaging
  of aortic atherosclerotic lesions, 464
  cirrhotic versus noncirrhotic liver, enhancement characteristics and differentiation between, 717
  contrast-enhanced, for metastatic disease in animal model, 263
  dynamic contrast-enhanced
    of intravascular stents (preliminary report), 411
    in splenic metastasis model, 45
  elbow effusions, implications of (preliminary report), 117
  of enigmatic oligodendroglioma, 222
  of focal hepatic lesions using fast spin-echo sequences, 61
  of forearm, 6
  functional, with concurrent transcranial magnetic stimulation, 336
  gadolinium-DTPA permeability through hemodialysis membrane, 734
  and histology correlation, in experimentally induced osteosarcoma, 236
  kinematic, of cervical spine, 279
  of knee joint, 289
  low-field open-magnet, lumbar spine flexion-extension measurements with, 439
  with low-field-strength extremity-only magnet, for ligament and cartilage evaluation, 401
  multimeric contrast agents for, 779
  for myocardial fibrosis assessment, 22
  of neonatal hypoxic-ischemic brain injury, 377
  phantom standards for (technical report), 472
  phase contrast, and intravascular Doppler ultrasound correlation of flow velocity measurements, 427
  polymeric immunoconjugates for, 752
  relaxation times
    in human cerebrospinal fluid, 153
    and susceptibility synergism, 268
  of reperfused myocardial infarction, 386
  of rotator cuff, 163
  for shoulder instability evaluation (preliminary report), 415
  in spinal abscess model (preliminary report), 246
  of spinal canal changes in cervical spine spondylosis, 444
  of spinal cord, craniocaudal velocity of, 141
  of tendons, sonographic and histologic correlation with, 433
magnetic resonance spectroscopy
  in arterial occlusive disease, 329
  neuronal laterality in Parkinson's disease and, 450
  with phosphorus-31. *See* Phosphorus-31 magnetic resonance spectroscopy
  for phosphorus metabolism evaluation in dialysis patient, 171
magnetization transfer imaging, magnetic relaxation contrast agents in, 773
magnetized solute spheres, solvent relaxation by, 822
mammograms, digitized, clustered microcalcifications on, 746
mangafodipir trisodium, cirrhotic versus noncirrhotic liver and, 717
manganese-substituted hydroxylapatite, stability in biologic fluids, 847
mesenteric arteries, CE-MRA of
  before and after caloric stimulation, 682
  techniques in (review), 670
mesenteric ischemia, CE-MRA of
  before and after caloric stimulation, 682
  techniques in (review), 670
metastatic disease, contrast-enhanced MRI in animal models, 263
microangiography, tumor vascularity, in experimentally induced VX2 carcinoma, 39
microcalcifications, on digitized mammograms, 746
microspheres, ultrasonography contrast, 863
  and inhaled gases, canine studies, 871
MnHA. *See* Manganese-substituted hydroxylapatite
Monte Carlo modeling, 822
motion, craniocaudal velocity of spinal cord, MRI investigation of, 141
MR-DSA. *See* Magnetic resonance digital subtraction angiography
MR SmartPrep, 515
MRI. *See* Magnetic resonance imaging
MRX-408, binding and lysing of blood clots using, 880
MRX-552, as ultrasound contrast agent, 886
mural thrombus, thrombolysis by ultrasound for, 85
muscular metabolism, effect of phosphorus-31 on, 329
myocardial disease, phosphorus metabolism evaluation in dialysis patient, 171
myocardial fibrosis, assessment in cardiomyopathic hamsters, 22
myocardial high energy metabolism, evaluation in dialysis patient, 171
myocardial infarction
  reperfused, MR techniques in, 386
  size measurements, electron beam CT versus ^{99m}Tc sestamibi scanning, 313
myocardial perfusion, ultrasonography assessment of, 209
myocardium, wall thickening analysis, 257

N

neural network models, calvarial lesion diagnosis accuracy, 738
neural tolerance, to contrast media (review), 182
neurocytoma, MR features and, 222
nitric oxide, renal artery responses to, 356
nuclear magnetic relaxation, by dysprosium(III) complexes, 835

O

oligodendroglioma, enigmatic, 222
osteosarcomas, iron oxide accumulation in, 236

P

paclitaxel, as ultrasound contrast agent, 886
paramagnetic contrast agents
  for MRI, 810
    liposomes, 810
  multinuclear MR characterization of, 828

Parkinson's disease, neuronal laterality in, 450
peripheral vessels, CE-MRA of (review), 538
phantom standards, for MRI (technical report), 472
pharmacokinetics, contrast media, in vitro and animal testing (review), 182
phentolamine-induced adrenergic blockade, renal damage and, 104
phosphodiesterase inhibition, renal vasospasm and, 858
phosphorus-31 magnetic resonance spectroscopy
  in arterial occlusive disease, 329
  of irradiated canine thigh muscle, 300
phosphorus metabolism, evaluation in dialysis patient, 171
plasma stability, MnHA contrast agent and, 847
portal hypertension, CE-MRA in, 644
portal venous system, CE-MRA of
  enhancement mechanism differences, 637
  prior to portosystemic shunts and liver transplantation, 628
  techniques in (review), 628
portosystemic shunts, CE-MRA of portal venous system prior to, 644
power Doppler sonography
  intermittent harmonic, in myocardial perfusion assessment, 209
  tumor vascularity, in experimentally induced VX2 carcinoma, 39
prostheses, flow patterns from stents and stent grafts, in vitro model, 762
pulmonary embolism, thrombolytic therapy for, 853
pulmonary vessels, CE-MRA of (review), 606

R

rabbit
  aortic atherosclerotic lesions in, ultrasound and MRI assessment of, 464
  changes in liver after percutaneous ethanol injection, 723
  renal artery stenosis model in, 322
  thrombolytic therapy efficacy in, MION-enhanced MRA determining, 853
radiation exposure, in low-dose spiral CT of thorax, 68
radiation therapy, renal complications after, 74
radiocontrast, effect on phentolamine-induced renal damage, 104
radiography
  digital, solid-state amorphous silicon detector versus, 33
  elbow effusions, implications of (preliminary report), 117
  simulated chest lesion detection, normal versus reduced radiation doses, 98
radius fracture, distal intraarticular, wrist arthrography after, 273
rat
  air-filled ultrasound agents used in, 129
  cerebral angiography in (preliminary report), 421
  contrast media influence on vascular responses in, 356
  glutaraldehyde-induced esophageal injury in, histology study, 730
  hepatocellular carcinoma in, 80
  neonatal hypoxic-ischemic brain injury in, 377
  spontaneously hypertensive, phentolamine renal damage in, 104
relaxation
  by dysprosium(III) complexes, 835
  and susceptibility, synergistic effects of, 268
  by uniformly magnetized solute spheres, 822
relaxation times, MRI, in human cerebrospinal fluid, 153
relaxivity
  concentration effect on, 828
  gadolinium-DTPA, in human cerebrospinal fluid, 153
renal artery(ies)
  anatomic changes in, 660
  CE-MRA of, 653
    and MRI compared, 660
  endothelin and nitric oxide responses in, 356
  MRA of
    anatomic changes after revascularization, 660
    contrast-enhanced, 653
    strategies, 506
  stenosis of
    MRI and CE-MRA compared, 660
    rabbit model, 322
renal complications, after radiation therapy, 74
renal damage, phentolamine-induced, 104
renal failure
  iobitridol and iohexol toxic effects and, 393
  myocardial high energy metabolism evaluation in, 171
renal insufficiency, CE-MRA in, 653
renal revascularization, anatomic changes after, 660
renal stent, dynamic MR of (preliminary report), 411
renal tolerance, to contrast media (review), 182
renal vasospasm, contrast medium-induced, 858
renovascular hypertension, CE-MRA in, 653
revascularization, renal arteries, anatomic changes after, 660
rotator cuff, MRI assessment of, 163

S

saccular aneurysms, endovascular embolization of, 366
Sanwet IM-7000, for endovascular embolization of saccular aneurysms, 366
screen-film radiography, solid-state amorphous silicon detector versus
  cortical bone defects and fractures, 33
  simulated chest lesion detection, 98
shoulder, MRI assessment of, 163
  joint instability (preliminary report), 415
SimpliRED, for deep vein thrombosis testing, 232
single photon emission computer tomography, gated, myocardium wall thickening analysis by, 257
skull neoplasms, diagnosis of, logistic regression and neural network models compared, 738
solvent relaxation, by uniformly magnetized solute spheres, 822
SonoVue, in myocardial perfusion assessment, 209
spin-echo techniques
  fast sequences for MRI focal hepatic lesion detection, 61
  in MRI depiction of reperfused myocardial infarction, 386
  unenhanced versus enhanced, 80
spinal cord, craniocaudal velocity of, 141
spine infection, MRI in experimental model (preliminary report), 246
spiral technology
  versus digital angiography, in hepatic artery thrombosis evaluation, 136
  for hepatocellular carcinoma detection, 216
  low-dose spiral CT of thorax, 68
splanchnic vasculature, CE-MRA of, 682
splenic metastasis, model of, 45
spondylosis, of cervical spine, spinal canal changes on MRI in, 444
stenosis
  flow patterns from stents and stent grafts, in vitro model, 762
  renal artery
    MRI and CE-MRA compared, 660
    rabbit model, 322
stent grafts, flow patterns from, in vitro model, 762
stents, flow patterns from, in vitro model, 762
stereotactic biopsy, enigmatic oligodendroglioma MR features and, 222
superabsorbers, for endovascular embolization of saccular aneurysms, 366
superparamagnetic iron oxide, in CE-MRA, particle size effects and, 637
susceptibility
  in liver MRI models, 810
  relaxation and, synergistic effects of, 268

T

^{99m}Tc-MIBI SPECT, gated, myocardial wall thickness recovery with, 257
^{99m}Tc sestamibi scanning, electron beam CT versus, measuring myocardial infarct size, 313
temporomandibular joint, MRA of, 193
tendons, low-field strength MRI with sonographic and histologic correlation, 433
therapeutic blockade, and thrombogenicity of metallic microcoils, experimental study, 407
thoracic aorta and arch vessels, CE-MRA of (review), 587
thorax
  low-dose spiral CT of, 68
  transthoracic needle lung biopsy, electron microscopy for specimen assessment (preliminary report), 177
3-D imaging
  abdominal image segmentation using, 341
  of cartilage thickness and knee joint, 289
3-D TRICKS, 496
thrombectomy, by ultrasound, 85
thrombogenicity, of metallic microcoils, experimental study, 407
thrombolysis
  for pulmonary embolism in rabbits, 853
  by ultrasound, 85
    declotting of embolized temporary vena cava filter, 91
    MRX-408 for, 880
thrombosis, after orthoptic liver transplantation, evaluation techniques, 136
TMS. *See* Transcranial magnetic stimulation
TNB. *See* Transthoracic needle biopsy
tolerance, to contrast media (review), 182
toxicity, iobitridol and iohexol effects on kidney compared, 393
transcranial magnetic stimulation, concurrent with fMRI, 336
transrectal ultrasonography, after radiation therapy for carcinoma of uterine cervix, 74
transthoracic needle biopsy, of lung (preliminary report), 177
trauma, to distal radius, wrist arthrography after, 273
triangular fibrocartilage, low-field-strength extremity-only visualization of, 401
tumor vascularity, in experimentally induced VX2 carcinoma, imaging modalities compared, 39

U

ultrasonography
  air-filled contrast agents for, 129
  of aortic atherosclerotic lesions, 464
  CARI technique, in breast cancer, 341
  contrast and inhaled gases, canine studies, 871
  contrast microspheres for, 863
  declotting of embolized temporary vena cava filter by, 91
  of elbow effusions, implications of (preliminary report), 117
  findings in rabbit liver after ethanol injection, 723
  new contrast agent for, 209
  paclitaxel-carrying lipospheres for, 886
  of tendons, MRI and histologic correlation with, 433
  thrombolysis by, mural thrombus, 85
  transcutaneous interruption of contrast agents in blood flow evaluation, 893
  transrectal, after radiation therapy for carcinoma of uterine cervix, 74
  vascularity in reactive lymph nodes, 146
ultrasound. *See* Ultrasonography
uterine cervix carcinoma, renal complications after radiation therapy for, 74

V

vascular studies. *See also* Cerebral vasculature; Renal artery(ies)
  CE-MRA for
    aorta (review), 618
    automated bolus-detection algorithm, 515
    cerebral arteries (review), 560
    cervical arteries (review), 573
    coronary arteries (review), 578
    mesenteric arteries. *See* Mesenteric arteries
    peripheral vessels (review), 538
    portal veins. *See* Portal venous system
    pulmonary vessels (review), 606
    renal arteries, 653
      and MRI compared, 660
    splanchnic vasculature, 682
    thoracic aorta and arch vessels (review), 587
  flow patterns from stents and stent grafts, in vitro model, 762
  thrombogenicity of metallic microcoils, experimental study, 407
vascular therapy, in arterial occlusive disease, 329
vascularity
  in reactive lymph nodes, 146
  of tumors, in experimentally induced VX2 carcinoma, 39
vena cava filter, embolized temporary, declotting by ultrasound and angiojet, 91
venography. *See also* Vascular studies
  for deep vein thrombosis testing, 232
venous flow model
  declotting of embolized temporary vena cava filter, 91
  thrombolysis by ultrasound, 85

W

wall motion, and myocardial infarct size, 313
wavelet algorithm, for image compression, 456
wrist
  arthrography following distal intraarticular radius fracture, 273
  cartilage and ligament evaluation in, 401

X

X-ray angiography, historical perspective (review), 496
X-ray detector, versus screen-film radiography, 33
X-ray irradiation, canine thigh muscle and, magnetic resonance studies, 300

Author Index—Volume 33

A

Adzamli, K.: *see* Fallis, S.
Ahn, J. M., Brown, R. R., Kwak, S. M., Kang, H. S., Muhle, C., Botte, M. J., Trudell, D., Haghighi, P., Resnick, D.: Evaluation of the triangular fibrocartilage and the scapholunate and lunotriquetral ligaments in cadavers with low-field-strength extremity-only magnet: Comparison of available imaging sequences and macroscopic findings, 401
Ahn, J. M.: *see* Muhle, C.
Ahn, M. I., Park, Y. H., Yim, J. I., Yoo, J.: Sequential changes of sonographic and computed tomography findings in the normal rabbit liver after percutaneous ethanol injection: Correlation with pathologic findings, 723
Albensi, B. C., Schweizer, M. P., Rarick, T. M., Filloux, F.: Magnetic resonance imaging of hypoxic-ischemic brain injury in the neonatal rat, 377
Alberico, R.: *see* Takahashi, M.
Alexander, A. L.: *see* Parker, D. L.
Alexander, J.: *see* Strotzer, M.
Alliger, H.: *see* Dick, A.
Allmann, K.-H., Walter, O., Laubenberger, J., Uhl, M., Buitrago-Tellez, C.-H., Biebow, N., Langer, M.: Magnetic resonance diagnosis of the anterior labrum and capsule: Effect of field strength on efficacy, 415
Alton, K.: *see* Rand, T.
Amthauer, H.: *see* Ricke, J.
Andersen, S. W.: *see* Bohning, D. E.
Andresen, R.: *see* Meyer, D.-R.
Araki, Y.: *see* Ueda, J.
Arana, E., Martí-Bonmatí, L., Paredes, R., Bautista, D.: Focal calvarial bone lesions: Comparison of logistic regression and neural network models, 738
Ashtari, M.: *see* Takahashi, M.
Aso, H., Takeda, K., Ito, T., Shiraishi, T., Matsumura, K., Nakagawa, T.: Assessment of myocardial fibrosis in cardiomyopathic hamsters with gadolinium-DTPA enhanced magnetic resonance imaging, 22
Axmann, C., Bohndorf, K., Gellissen, J., Prescher, A., Lodemann, K.-P.: Mechanisms of accumulation of small particles of iron oxide in experimentally induced osteosarcomas of rats: A correlation of magnetic resonance imaging and histology: Preliminary results, 236

B

Bach-Gansmo, T.: *see* Dupas, B.
Bae, K. T.: *see* Li, D.
Baumer, M.: *see* Muhle, C.
Bautista, D.: *see* Arana, E.
Beaty-Nosco, J.: *see* Fallis, S.
Bechstein, W. O.: *see* Hänninen, E. L.
Bechstein, W. O.: *see* Vogl, T. J.
Becker, G. J.: *see* Tello, R.
Behrenbeck, T.: *see* Schmermund, A.
Beier, J.: *see* Knollmann, F. D.
Biebow, N.: *see* Allmann, K.-H.
Bier, J.: *see* William, C.
Biesold, M.: *see* Gründer, W.
Bigot, J.-M.: *see* Le Blanche, A.-F.
Bindeus, T.: *see* Rand, T.
Bischoff, L.: *see* Muhle, C.
Böck, J. C.: *see* Knollmann, F. D.
Bohndorf, K.: *see* Axmann, C.
Bohning, D. E., Shastri, A., Nahas, Z., Lorberbaum, J. P., Andersen, S. W., Dannels, W. R., Haxthausen, E.-U., Vincent, D. J., George, M. S.: Echoplanar BOLD fMRI of brain activation induced by concurrent transcranial magnetic stimulation, 336
Bongartz, G. M.: *see* Boos, M.
Boos, M., Lentschig, M., Scheffler, K., Bongartz, G. M., Steinbrich, W.: Contrast-enhanced magnetic resonance angiography of peripheral vessels: Different contrast agent applications and sequence strategies: A review, 538
Boskamp, T.: *see* Ricke, J.
Botte, M. J.: *see* Ahn, J. M.
Boudghene, F.: *see* Le Blanche, A.-F.
Brandenburger, G.: *see* Wible, J.
Brandenburger, G. H.: *see* Klibanov, A. L.
Brechbiel, M. W.: *see* Bulte, J. W. M.
Briley-Sæbø, K.: *see* Kellar, K. E.
Brinker, T.: *see* Luedemann, W.
Brinkmann, G.: *see* Muhle, C.
Broillet, A., Puginier, J., Ventrone, R., Schneider, M.: Assessment of myocardial perfusion by intermittent harmonic power Doppler using Sonovue, a new ultrasound contrast agent, 209
Brooks, R. A.: *see* Bulte, J. W. M.
Brown, R. R.: *see* Ahn, J. M.
Bryant, R. G.: *see* Danek, A. N.
Budnick, R. M.: *see* Stomper, P. C.
Bugaj, J.: *see* Wible, J.
Buitrago-Tellez, C.-H.: *see* Allmann, K.-H.
Bulte, J. W. M., Wu, C., Brechbiel, M. W., Brooks, R. A., Vymazal, J., Holla, M., Frank, J. A.: Dysprosium-DOTA-PAMAM dendrimers as macromolecular T2 contrast agents: Preparation and relaxometry, 841
Buswell, H. R.: *see* Parker, D. L.

C

Caldwell, V. E.: *see* Unger, E. C.
Callard, P.: *see* Le Blanche, A.-F.
Campbell, W.: *see* Takahashi, M.
Carlos, R. C., Prince, M. R., Ward, J. S., Stanley, J., Dong, Q., Londy, F. J.: Renal anatomic changes on magnetic resonance imaging and gadolinium-enhanced magnetic resonance angiography after renal revascularization: Original investigation, 660
Carson, P. L.: *see* Fowlkes, J. B.
Casillas, C.: *see* Martí-Bonmatí, L.
Chamberlain, D.: *see* Kundu, S.
Chang, Y.-H., Zheng, B., Good, W. F., Gur, D.: Identification of clustered microcalcifications on digitized mammograms using morphology and topography-based computer-aided detection schemes: A preliminary experiment, 746
Chatal, J.-F.: *see* Curtet, C.
Chenevert, T. C.: *see* Maki, J. H.
Chenevert, T. L.: *see* Dong, Q.
Chenevert, T. L.: *see* Stafford-Johnson, D. B.
Cho, K. J.: *see* Stafford-Johnson, D. B.
Cho, K. J.: *see* Wilson, M. W.
Choe, B.-Y., Jee, W.-H., Suh, T.-S., Lee, H.-K., Shinn, K.-S.: Evaluation of the effects of high dose irradiation on canine thigh muscle by follow-up magnetic resonance imaging and phosphorus-31 magnetic resonance spectroscopy, 300
Choe, B.-Y., Park, J.-W., Lee, K.-S., Son, B.-C., Kim, M.-C., Kim, B.-S., Suh, T.-S., Lee, H.-K., Shinn, K.-S.: Neuronal laterality in Parkinson's disease with unilateral symptom by in vivo ^{1}H magnetic resonance spectroscopy, 450
Choi, B. I.: *see* Park, K. S.
Christian, T. F.: *see* Schmermund, A.
Christopoulos, S.: *see* Mironidou, M.
Chung, J. W.: *see* Kim, T. S.
Colet, J.-M.: *see* Fossheim, S. L.
Cotman, C. W.: *see* Ibrahim, M. A.
Cotten, A.: *see* Hodler, J.
Curtet, C., Maton, F., Havet, T., Slinkin, M., Mishra, A., Chatal, J.-F., Muller, R. N.: Polylysine-Gd-DTPA$_n$ and polylysine-Gd-DOTA$_n$ coupled to anti-CEA F(ab')$_2$ fragments as potential immunocontrast agents: Relaxometry, biodistribution, and magnetic resonance imaging in nude mice grafted with human colorectal carcinoma, 752

D

Danek, A. N., Bryant, R. G.: Magnetic relaxation contrast agents in magnetization transfer imaging, 773
Dannels, W. R.: *see* Bohning, D. E.
Dayton, P. A.: *see* Klibanov, A. L.
Debatin, J. F.: *see* Hany, T. F.
Delos, M.: *see* Goudemant, J.-F. de Maeseneer, M., Jacobson, J. A., Jaovisidha, S., Lenchik, L., Ryu, K. N., Trudell, D. R., Resnick, D.: Elbow effusions: Distribution of joint fluid with flexion and extension and imaging implications, 117
Demeure, R.: *see* Goudemant, J.-F.
Dick, A., Neuerburg, J., Schmitz-Rode, T., Alliger, H., Günther, R. W.: Declotting of embolized temporary vena cava filter by ultrasound and the Angiojet: Comparative experimental in vitro studies, 91
Dick, A., Neuerburg, J., Schmitz-Rode, T., Alliger, H., Schmid-Schönbein, H., Günther, R. W.: Thrombolysis of mural thrombus by ultrasound: An experimental in vitro study, 85
Dong, Q., Hurst, D. R., Weinmann, H. J., Chenevert, T. L., Londy, F. J., Prince, M. R.: Magnetic resonance angiography with gadomer-17: An animal study original investigation, 699
Dong, Q.: *see* Carlos, R. C.
Dong, Q.: *see* Wilson, M. W.
Dorshow, R. B.: *see* Fallis, S.
Drescher, P., Knes, J. M., Madsen, P. O.: Prevention of contrast medium-induced renal vasospasm by phosphodiesterase inhibition, 858
Dromigny-Badin, A., Zhu, Y. M., Magnin, I., Revel, D.: Fusion of cine magnetic resonance and contrast-enhanced first-pass magnetic resonance data in patients with coronary artery disease: A feasibility study, 12
Drost, R.: *see* Müller-Hülsbeck, S.
Duarte, C. G., Zhang, J., Ellis, S.: Effects of radiocontrast and endothelin administration on systolic blood pressure and renal damage in male spontaneously hypertensive and Wistar Kyoto rats with phentolamine-induced adrenergic blockade, 104
Düber, C.: *see* Schunk, K.
Duncan, V. W.: *see* Lee, C.
Dupas, B., Bach-Gansmo, T., Meflah, K., Muller, R. N.: Synergistic effects of relaxation and susceptibility in differentiation between compartmentalized and noncompartmentalized tissues, 268

E

Eacobacci, T.: *see* Takahashi, M.
Ebert, W.: *see* Knollmann, F. D.

Eckstein, M. P., Whiting, J. S.: Why do anatomic backgrounds reduce lesion detectability?, 203
Ellis, S.: *see* Duarte, C. G.
Elst, L. V., Laurent, S., Muller, R. N.: Multinuclear magnetic resonance characterization of paramagnetic contrast agents: The manifold effects of concentration and counterions, 828
Emerson, J. F.: *see* Ibrahim, M. A.

F

Fahlvik, A. K.: *see* Fossheim, S. L.
Falliner, A.: *see* Muhle, C.
Fallis, S., Beaty-Nosco, J., Dorshow, R. B., Adzamli, K.: Polyethyleneglycol-stabilized manganese-substituted hydroxylapatite as a potential contrast agent for magnetic resonance imaging: Particle stability in biologic fluids, 847
Felix, R.: *see* Hänninen, E. L.
Felix, R.: *see* Knollmann, F. D.
Felix, R.: *see* Vogl, T. J.
Felix, R.: *see* William, C.
Fellinger, M.: *see* Grechenig, W.
Fernandez, M. E.: *see* Ranganathan, R. S.
Ferrara, K. W.: *see* Klibanov, A. L.
Feuerbach, S.: *see* Strotzer, M.
Filloux, F.: *see* Albensi, B. C.
Fishman, E. K.: *see* Gao, L.
Flamm, C. R.: Technology assessment of magnetic resonance angiography: Why pretty pictures are not enough: An overview, 547
Fleck, M.: *see* Schütze, B.
Foo, T. K. F.: *see* Ho, V. B.
Fossheim, S. L., Colet, J.-M., Månsson, S., Fahlvik, A. K., Muller, R. N., Klaveness, J.: Paramagnetic liposomes as magnetic resonance imaging contrast agents: Assessment of contrast efficacy in various liver models, 810
Fossheim, S. L.: *see* Kellar, K. E.
Fowlkes, J. B., Sirkin, D. W., Ivey, J. A., Gardner, E. A., Rhee, R. T., Rubin, J. M., Carson, P. L.: Transcutaneous interruption of ultrasound contrast agents for blood flow evaluation, 893
Frank, H., Loewe, R., Loewe, C., Oberhuber, G., Schwaighofer, B., Huber, K., Weissleder, R.: Efficacy of thrombolytic therapy in pulmonary embolism determined by MION-enhanced MRA: An experimental study in rabbits, 853
Frank, J. A.: *see* Bulte, J. W. M.
Friedrich, M.: *see* Meyer, D.-R.
Froelich, J. J.: *see* Hoppe, M.
Fründ, R.: *see* Strotzer, M.
Fujita, N.: *see* Tanaka, H.
Furth, E. E.: *see* Isserow, J. A.
Furukawa, T.: *see* Ueda, J.

G

Günther, R. W.: *see* Dick, A.
Gao, L., Heath, D. G., Fishman, E. K.: Abdominal image segmentation using three-dimensional deformable models, 348
Gardner, E. A.: *see* Fowlkes, J. B.
Gellissen, J.: *see* Axmann, C.
Gemba, M.: *see* Wasaki, M.
George, M. S.: *see* Bohning, D. E.
Gerber, C.: *see* Zanetti, M.
Gerber, T.: *see* Schmermund, A.
Geschwind, J.-F. H., Saeed, M., Wendland, M. F., Higgins, C. B.: Depiction of reperfused myocardial infarction using contrast-enhanced spin echo and gradient echo magnetic resonance imaging, 386
Gieseke, J.: *see* Jung, G.
Glüer, C.-C.: *see* Müller-Hülsbeck, S.
Gmeinwieser, J.: *see* Strotzer, M.
Goldschmidt, M. H.: *see* Isserow, J. A.
Good, W. F.: *see* Chang, Y.-H.
Goodrich, K. C.: *see* Parker, D. L.
Goudemant, J.-F., Van Beers, B. E., Demeure, R., Grandin, C., Delos, M., Pringot, J.: Comparison of unenhanced and gadoxetate disodium-enhanced spin-echo magnetic resonance imaging for the detection of experimental hepatocellular carcinoma in the rat, 80
Grandin, C.: *see* Goudemant, J.-F.
Grechenig, W., Peicha, G., Fellinger, M., Seibert, F.-J., Preidler, K. W.: Wrist arthrography after acute trauma to the distal radius: Diagnostic accuracy, technique, and sources of diagnostic errors, 273
Grist, T. M.: Future directions of magnetic resonance angiography: Editorial, 485
Grist, T. M.: *see* Mistretta, C. A.
Gründer, W., Biesold, M., Wagner, M., Werner, A.: Improved nuclear magnetic resonance microscopic visualization of joint cartilage using liposome entrapped contrast agents, 193
Grygotis, L. A.: *see* Yamada, C. Y.
Guckelberger, O.: *see* Hänninen, E. L.
Günther, R. W.: *see* Wildberger, J. E.
Gur, D.: *see* Chang, Y.-H.

H

Haacke, E. M.: *see* Li, D.
Haggag, K. J., Russell, D., Walday, P., Skiphamn, A., Torvik, A.: Air-filled ultrasound contrast agents do not damage the cerebral microvasculature or brain tissue in rats, 129
Haghighi, P.: *see* Ahn, J. M.
Hall, L. D.: *see* Kshirsagar, A. A.
Hamilton, B. H.: *see* Wilson, M. W.
Han, J. K.: *see* Park, K. S.
Han, M. C.: *see* Kim, T. S.
Hänninen, E. L., Vogl, T. J., Bechstein, W. O., Guckelberger, O., Neuhaus, P., Lobeck, H., Felix, R.: Biphasic spiral computed tomography for detection of hepatocellular carcinoma before resection or orthotopic liver transplantation, 216
Hänninen, E. L.: *see* Ricke, J.
Hänninen, E. L.: *see* Vogl, T. J.
Hany, T. F., Leung, D. A., Pfammatter, T., Debatin, J. F.: Contrast-enhanced magnetic resonance angiography of the renal arteries: Original investigation, 653
Hany, T. F., Schmidt, M., Schoenenberger, A. W., Debatin, J. F.: Contrast-enhanced three-dimensional magnetic resonance angiography of the splanchnic vasculature before and after caloric stimulation: Original investigation, 682
Harada, K.: *see* Tanaka, H.
Harvey, S. B., Smith, F. W., Hukins, D. W. L.: Measurement of lumbar spine flexion-extension using a low-field open-magnet magnetic resonance scanner, 439
Havet, T.: *see* Curtet, C.
Haxthausen, E.-U.: *see* Bohning, D. E.
Heath, D. G.: *see* Gao, L.
Heiss, S. G., Li, K. C. P.: Magnetic resonance angiography of mesenteric arteries: A review, 670
Hell, B.: *see* William, C.
Heller, M.: *see* Muhle, C.
Heller, M.: *see* Müller-Hülsbeck, S.
Heller, M.: *see* Steffens, J.-C.
Herman, P. G.: *see* Takahashi, M.
Herman, S. J.: *see* Kundu, S.
Heverhagen, J. T.: *see* Hoppe, M.
Hidajat, N.: *see* William, C.
Higgins, C. B.: *see* Geschwind, J.-F. H.
Hirabuki, N.: *see* Tanaka, H.
Ho, V. B., Foo, T. K. F.: Optimization of gadolinium-enhanced magnetic resonance angiography using an automated bolus-detection algorithm (MR SmartPrep): Original investigation, 515
Hodler, J., Cotten, A., Trudell, D., Resnick, D.: Magnetic resonance imaging of the forearm: Cross-sectional anatomy in a cadaveric model, 6
Hodler, J.: *see* Zanetti, M.
Holla, M.: *see* Bulte, J. W. M.
Hoppe, M., Heverhagen, J. T., Froelich, J. J., Kunisch-Hoppe, M., Klose, K.-J., Wagner, H.-J.: Correlation of Flow Velocity Measurements by magnetic resonance phase contrast imaging and intravascular Doppler ultrasound, 427
Huber, K.: *see* Frank, H.
Hughes, M. S.: *see* Klibanov, A. L.
Hukins, D. W. L.: *see* Harvey, S. B.
Hunter, D. W.: *see* Wildberger, J. E.
Hüppe, T.: *see* Meyer, D.-R.
Hurst, D. R.: *see* Dong, Q.

I

Ibrahim, M. A., Emerson, J. F., Cotman, C. W.: Magnetic resonance imaging relaxation times and gadolinium-DTPA relaxivity values in human cerebrospinal fluid, 153
Imhof, H.: *see* Rand, T.
Inaba, F.: *see* Tanaka, H.
Intenzo, C. M.: *see* Zhang, J. J.
Isserow, J. A., Kumar, N., Goldschmidt, M. H., Furth, E. E., Levine, M. S., Laufer, I.: Glutaraldehyde-induced esophageal injury: Histologic study of laboratory rats, 730
Ito, T.: *see* Aso, H.
Ivey, J. A.: *see* Fowlkes, J. B.

J

Jacobson, J. A.: *see* de Maeseneer, M.
Jaovisidha, S.: *see* de Maeseneer, M.
Jee, W.-H.: *see* Choe, B.-Y.
Jung, G., Krahe, T., Kugel, H., Gieseke, J., Walter, C., Lackner, K.: Detection of focal hepatic lesions: Effects of superparamagnetic iron oxide (AMI-25) on magnetic resonance imaging of the liver using T2-weighted fast spin-echo sequences and gradient-and-spin-echo sequences at 1.0 Tesla, 61

K

Kaiser, W. A.: *see* Schütze, B.
Kang, H. S.: *see* Ahn, J. M.
Kang, S. I.: *see* Ranganathan, R. S.
Kashiwagi, N.: *see* Tanaka, H.
Kauczor, H.-U.: Contrast-enhanced magnetic resonance angiography of the pulmonary vasculature: A review, 606
Kaufman, J.: *see* Yamada, C. Y.
Kawamura, H.: *see* Wasaki, M.
Kazanjian, S. N.: *see* Wilson, M. W.
Kellar, K. E., Briley-Sæbø, K.: Phantom standards with temperature- and field-independent relaxation rates for magnetic resonance imaging, 472
Kellar, K. E., Fossheim, S. L., Koenig, S. H.: Magnetic field dependence of solvent proton

relaxation by solute dysprosium(III) complexes, 835
Kersjes, W.: *see* Schunk, K.
Khan, A.: *see* Takahashi, M.
Kilbinger, M.: *see* Wildberger, J. E.
Kim, B.-S.: *see* Choe, B.-Y.
Kim, M.-C.: *see* Choe, B.-Y.
Kim, S. H.: *see* Park, K. S.
Kim, S. M.: *see* Zhang, J. J.
Kim, T. K.: *see* Park, K. S.
Kim, T. S., Park, J. H., Lee, Y., Chung, J. W., Han, M. C.: An experimental study on thrombogenicity of various metallic microcoils with or without thrombogenic coatings, 407
Kirchin, M. A., Pirovano, G. P., Spinazzi, A.: Gadobenate dimeglumine (Gd-BOPTA): An overview, 798
Klaveness, J.: *see* Fossheim, S. L.
Klibanov, A. L., Ferrara, K. W., Hughes, M. S., Wible, J. H., Wojdyla, J. K., Dayton, P. A., Morgan, K. E., Brandenburger, G. H.: Direct video-microscopic observation of the dynamic effects of medical ultrasound on ultrasound contrast microspheres, 863
Klose, K.-J.: *see* Hoppe, M.
Knes, J. M.: *see* Drescher, P.
Knollmann, F. D., Böck, J. C., Rautenberg, K., Beier, J., Ebert, W., Felix, R.: Differences in predominant enhancement mechanisms of superparamagnetic iron oxide and ultrasmall superparamagnetic iron oxide for contrast-enhanced portal magnetic resonance angiography: Preliminary results of an animal study original investigation, 637
Knopp, M. A.: *see* Schoenberg, S. O.
Knopp, M. V.: *see* Schoenberg, S. O.
Koenig, S. H.: Solvent relaxation by uniformly magnetized solute spheres: The classical-quantal connection, 822
Koenig, S. H.: *see* Kellar, K. E.
Kokkas, B.: *see* Mironidou, M.
Kollar, A.: *see* Le Blanche, A.-F.
Krahe, T.: *see* Jung, G.
Krause, W.: In vitro and animal experiments in contrast media testing, 182
Krinsky, G.: Gadolinium-enhanced three-dimensional magnetic resonance angiography of the thoracic aorta and arch vessels: A review, 587
Kshirsagar, A. A., Watson, P. J., Tyler, J. A., Hall, L. D.: Measurement of localized cartilage volume and thickness of human knee joints by computer analysis of three-dimensional magnetic resonance images, 289
Kugel, H.: *see* Jung, G.
Kuhl, C. K.: *see* Schild, H. H.
Kukla, C.: *see* Rand, T.
Kumar, N.: *see* Isserow, J. A.
Kundu, S., Herman, S. J., Chamberlain, D.: Utility of electron microscopy in the assessment of transthoracic needle lung biopsy specimens, 177
Kunisch-Hoppe, M.: *see* Hoppe, M.
Kwak, S. M.: *see* Ahn, J. M.

L

Lackner, K.: *see* Jung, G.
Laitinen, M.: *see* Manninen, H. I.
Langer, M.: *see* Allmann, K.-H.
Langlotz, C. P.: *see* Swan, J. S.
Laubenberger, J.: *see* Allmann, K.-H.
Laufer, I.: *see* Isserow, J. A.
Laurent, S.: *see* Elst, L. V.
Le Blanche, A.-F., Sibony, M., Kollar, A., Callard, P., Bigot, J.-M., Boudghene, F.: A new model of endovascularly induced renal artery stenosis in normocholesterolemic versus hypercholesterolemic rabbits, 322
Lee, C., Duncan, V. W., Young, A. B.: Magnetic resonance features of the enigmatic oligodendroglioma, 222
Lee, C.: *see* Runge, V. M.
Lee, H. M.: *see* Lee, V. S.
Lee, H.-K.: *see* Choe, B.-Y.
Lee, K.-S.: *see* Choe, B.-Y.
Lee, V. S., Lee, H. M., Rofsky, N. M.: Magnetic resonance angiography of the hand: A review, 687
Lee, Y.: *see* Kim, T. S.
Lenchik, L.: *see* de Maeseneer, M.
Lentschig, M.: *see* Boos, M.
Leung, D. A.: *see* Hany, T. F.
Levine, M. S.: *see* Isserow, J. A.
Li, D., Zheng, J., Bae, K. T., Woodard, P. K., Haacke, E. M.: Contrast-enhanced magnetic resonance imaging of the coronary arteries: A review, 578
Li, K. C. P.: *see* Heiss, S. G.
Li, S.: *see* Murphy, M. E.
Liebig, T.: *see* Ricke, J.
Lindner, V.: *see* Muhle, C.
Link, J.: *see* Steffens, J.-C.
Lobeck, H.: *see* Hänninen, E. L.
Lodemann, K.-P.: *see* Axmann, C.
Loewe, C.: *see* Frank, H.
Loewe, R.: *see* Frank, H.
Londy, F.: *see* Schoenberg, S. O.
Londy, F. J.: *see* Carlos, R. C.
Londy, F. J.: *see* Dong, Q.
Lonjedo, E.: *see* Martí-Bonmatí, L.
Lorberbaum, J. P.: *see* Bohning, D. E.
Luedemann, W., Brinker, T., Schuhmann, M. U., Von Brenndorf, A. I., Samii, M.: Direct magnification technique for cerebral angiography in the rat, 421
Luoma, J. S.: *see* Manninen, H. I.

M

Maass, P.: *see* Ricke, J.
Madsen, P. O.: *see* Drescher, P.
Magnin, I.: *see* Dromigny-Badin, A.
Maguire, W. M.: *see* Takahashi, M.
Maier, C.: *see* Muhle, C.
Maki, J. H., Prince, M. R., Chenevert, T. C.: Optimizing three-dimensional gadolinium-enhanced magnetic resonance angiography: Original investigation, 528
Maniet, A. R.: *see* Zhang, J. J.
Manninen, H. I., Vanninen, R. L., Laitinen, M., Räsänen, H., Vainio, P., Luoma, J. S., Pakkanen, T., Tulla, H., Ylä-Herttuala, S.: Intravascular ultrasound and magnetic resonance imaging in the assessment of atherosclerotic lesions in rabbit aorta: Correlation to histopathologic findings, 464
Månsson, S.: *see* Fossheim, S. L.
Martí-Bonmatí, L., Lonjedo, E., Poyatos, C., Casillas, C.: MnDPDP enhancement characteristics and differentiation between cirrhotic and noncirrhotic livers, 717
Martí-Bonmatí, L.: *see* Arana, E.
Marx, C.: *see* Schütze, B.
Marx, M. V.: *see* Wilson, M. W.
Maton, F.: *see* Curtet, C.
Matsumura, K.: *see* Aso, H.
Matsumura, K.: *see* Tagami, T.
Mäurer, J.: *see* William, C.
McCreery, T. P.: *see* Unger, E. C.
McCreery, T. P.: *see* Wu, Y.
Meflah, K.: *see* Dupas, B.
Metzner, J.: *see* Muhle, C.
Meyer, D.-R., Hüppe, T., Andresen, R., Friedrich, M.: Intra- and infrahepatic agenesis of the inferior vena cava with azygos continuation accompanied by duplication of the postrenal segment, 113
Mironidou, M., Ximitidou, O., Christopoulos, S., Kokkas, B.: The effect of some iodinated contrast media on human plasma butyrylcholinesterase activity, 308
Mishra, A.: *see* Curtet, C.
Mistretta, C. A., Grist, T. M.: X-ray digital subtraction angiography to magnetic resonance-digital subtraction angiography using three-dimensional TRICKS: Historical perspective and computer simulations: A review, 496
Mitsuhashi, N.: *see* Shiojima, K.
Morgan, K. E.: *see* Klibanov, A. L.
Mori, S.: *see* Tagami, T.
Muhle, C., Bischoff, L., Weinert, D., Lindner, V., Falliner, A., Maier, C., Ahn, J. M., Heller, M., Resnick, D.: Exacerbated pain in cervical radiculopathy at axial rotation, flexion, extension, and coupled motions of the cervical spine: Evaluation by kinematic magnetic resonance imaging, 279
Muhle, C., Weinert, D., Falliner, A., Wiskirchen, J., Metzner, J., Baumer, M., Brinkmann, G., Heller, M.: Dynamic changes of the spinal canal in patients with cervical spondylosis at flexion and extension using magnetic resonance imaging, 444
Muhle, C.: *see* Ahn, J. M.
Mühler, A.: The future of contrast-enhanced magnetic resonance angiography: Are blood pool agents needed? Editorial, 709
Muller, R. N.: *see* Curtet, C.
Muller, R. N.: *see* Dupas, B.
Muller, R. N.: *see* Elst, L. V.
Muller, R. N.: *see* Fossheim, S. L.
Müller-Hülsbeck, S., Schwarzenberg, H., Wesner, F., Drost, R., Glüer, C.-C., Heller, M.: Visualization of flow patterns from stents and stent-grafts in an in vitro flow-model, 762
Munechika, H.: *see* Yasuda, R.
Murphy, M. E., Tublin, M. E., Li, S.: Influence of contrast media on the response of rat renal arteries to endothelin and nitric oxide: Influence of contrast media, 356

N

Nahas, Z.: *see* Bohning, D. E.
Nakagawa, T.: *see* Aso, H.
Nakamura, H.: *see* Tanaka, H.
Nakano, T.: *see* Tagami, T.
Neuerburg, J.: *see* Dick, A.
Neuhaus, P.: *see* Hänninen, E. L.
Neuhaus, P.: *see* Vogl, T. J.
Niibe, H.: *see* Shiojima, K.
Nunn, A. D.: *see* Ranganathan, R. S.

O

Oberhuber, G.: *see* Frank, H.

P

Pakkanen, T.: *see* Manninen, H. I.
Papp, Z.: *see* Takahashi, M.
Paredes, R.: *see* Arana, E.
Park, J. H.: *see* Kim, T. S.
Park, J.-W.: *see* Choe, B.-Y.
Park, K. S., Choi, B. I., Won, H. J., Seo, J. B., Kim, S. H., Kim, T. K., Han, J. K., Yeon, K. M.: Intratumoral vascularity of experimentally induced VX2 carcinoma: Comparison of

color Doppler sonography, power Doppler sonography, and microangiography, 39
Park, Y. H.: *see* Ahn, M. I.
Parker, D. L., Tsuruda, J. S., Goodrich, K. C., Alexander, A. L., Buswell, H. R.: Contrast-enhanced magnetic resonance angiography of cerebral arteries: A review, 560
Peicha, G.: *see* Grechenig, W.
Pfammatter, T.: *see* Hany, T. F.
Pillai, K. M. R.: *see* Ranganathan, R. S.
Piroth, W.: *see* Wildberger, J. E.
Pirovano, G. P.: *see* Kirchin, M. A.
Poyatos, C.: *see* Martí-Bonmatí, L.
Preidler, K. W.: *see* Grechenig, W.
Prescher, A.: *see* Axmann, C.
Prince, M. R.: Why inject contrast for magnetic resonance angiography? Editorial, 483
Prince, M. R.: *see* Carlos, R. C.
Prince, M. R.: *see* Dong, Q.
Prince, M. R.: *see* Maki, J. H.
Prince, M. R.: *see* Schoenberg, S. O.
Prince, M. R.: *see* Stafford-Johnson, D. B.
Prince, M. R.: *see* Wilson, M. W.
Pringot, J.: *see* Goudemant, J.-F.
Puginier, J.: *see* Broillet, A.

R

Raichlen, J. S.: *see* Zhang, J. J.
Rand, T., Bindeus, T., Alton, K., Voegele, T., Kukla, C., Stanek, C., Imhof, H.: Low-field magnetic resonance imaging (0.2 T) of tendons with sonographic and histologic correlation: Cadaveric study, 433
Ranganathan, R. S., Fernandez, M. E., Kang, S. I., Nunn, A. D., Ratsep, P. C., Pillai, K. M. R., Zhang, X., Tweedle, M. F.: New multimeric magnetic resonance imaging agents, 779
Rarick, T. M.: *see* Albensi, B. C.
Räsänen, H.: *see* Manninen, H. I.
Ratsep, P. C.: *see* Ranganathan, R. S.
Rautenberg, K.: *see* Knollmann, F. D.
Reed, J. E.: *see* Schmermund, A.
Reichenbach, J. R.: *see* Schütze, B.
Resnick, D.: *see* Ahn, J. M.
Resnick, D.: *see* de Maeseneer, M.
Resnick, D.: *see* Hodler, J.
Resnick, D.: *see* Muhle, C.
Revel, D.: *see* Dromigny-Badin, A.
Rhee, R. T.: *see* Fowlkes, J. B.
Ricke, J., Maass, P., Hänninen, E. L., Liebig, T., Amthauer, H., Stroszczynski, C., Schauer, W., Boskamp, T., Wolf, M.: Wavelet versus JPEG (joint photographic expert group) and fractal compression: Impact on the detection of low-contrast details in computed radiographs, 456
Rieker, O.: *see* Schunk, K.
Rofsky, N. M.: *see* Lee, V. S.
Romaneehsen, B.: *see* Schunk, K.
Rubin, J. M.: *see* Fowlkes, J. B.
Rumberger, J. A.: *see* Schmermund, A.
Runge, V. M.: Evaluation of standard and high-dose contrast-enhanced breath-hold liver magnetic resonance for visualization of metastatic disease in an animal model, 263
Runge, V. M., Williams, N. M.: Dynamic contrast-enhanced magnetic resonance imaging in a model of splenic metastasis, 45
Runge, V. M., Williams, N. M., Lee, C., Timoney, J. F.: Magnetic resonance imaging in a spinal abscess model: Preliminary report, 246
Russell, D.: *see* Haggag, K. J.
Ryu, K. N.: *see* de Maeseneer, M.

S

Saeed, M.: *see* Geschwind, J.-F. H.
Sakaguchi, K.: *see* Ueda, J.
Sakuma, H.: *see* Tagami, T.
Sakurai, H.: *see* Shiojima, K.
Sakurai, K.: *see* Tanaka, H.
Saloner, D.: Determinants of image appearance in contrast-enhanced magnetic resonance angiography: A review, 488
Samii, M.: *see* Luedemann, W.
Satoh, Y.: *see* Wasaki, M.
Schadmand-Fischer, S.: *see* Schunk, K.
Schauer, W.: *see* Ricke, J.
Scheffler, K.: *see* Boos, M.
Schellhammer, F.: *see* Walter, M.
Schild, H. H., Kuhl, C. K.: Contrast-enhanced magnetic resonance angiography: Potential applications and pitfalls in magnetic resonance angiography—Guided therapy: A review, 524
Schmermund, A., Gerber, T., Behrenbeck, T., Reed, J. E., Sheedy, P. F., Christian, T. F., Rumberger, J. A.: Measurement of myocardial infarct size by electron beam computed tomography: A comparison with ^{99m}Tc sestamibi, 313
Schmid-Schönbein, H.: *see* Dick, A.
Schmidt, M.: *see* Hany, T. F.
Schmiedt, W.: *see* Schunk, K.
Schmitz-Rode, T.: *see* Dick, A.
Schneider, M.: *see* Broillet, A.
Schoenberg, S. O., Knopp, M. V., Prince, M. R., Londy, F., Knopp, M. A.: Arterial-phase three-dimensional gadolinium magnetic resonance angiography of the renal arteries: Strategies for timing and contrast media injection: Original investigation, 506
Schoenenberger, A. W.: *see* Hany, T. F.
Schroeder, R.: *see* William, C.
Schuhmann, M. U.: *see* Luedemann, W.
Schumacher, G.: *see* Vogl, T. J.
Schumacher, M.: *see* Walter, M.
Schunk, K., Romaneehsen, B., Rieker, O., Düber, C., Kersjes, W., Schadmand-Fischer, S., Schmiedt, W., Thelen, M.: Dynamic phosphorus-31 magnetic resonance spectroscopy in arterial occlusive disease: Effects of vascular therapy on spectroscopic results, 329
Schütze, B., Marx, C., Fleck, M., Reichenbach, J. R., Kaiser, W. A.: Diagnostic evaluation of sonographically visualized breast lesions by using a new clinical amplitude/velocity reference imaging technique (Cari sonography), 341
Schwaighofer, B.: *see* Frank, H.
Schwarzenberg, H.: *see* Müller-Hülsbeck, S.
Schweizer, M. P.: *see* Albensi, B. C.
Seibert, F.-J.: *see* Grechenig, W.
Seitz, J.: *see* Strotzer, M.
Seo, J. B.: *see* Park, K. S.
Shastri, A.: *see* Bohning, D. E.
Sheedy, P. F.: *see* Schmermund, A.
Shen, D.: *see* Wu, Y.
Shimada, M.: *see* Wasaki, M.
Shinn, K.-S.: *see* Choe, B.-Y.
Shiojima, K., Mitsuhashi, N., Yamakawa, M., Sakurai, H., Niibe, H.: Transrectal ultrasonography in evaluation of chronic rectal complications after radiation therapy for carcinoma of the uterine cervix, 74
Shiraishi, T.: *see* Aso, H.
Sibony, M.: *see* Le Blanche, A.-F.
Sirkin, D. W.: *see* Fowlkes, J. B.
Skiphamn, A.: *see* Haggag, K. J.
Slinkin, M.: *see* Curtet, C.
Smith, F. W.: *see* Harvey, S. B.
Son, B.-C.: *see* Choe, B.-Y.
Spahn, M.: *see* Strotzer, M.
Spies, V.: *see* Strotzer, M.
Spinazzi, A.: *see* Kirchin, M. A.
Stafford-Johnson, D. B., Chenevert, T. L., Cho, K. J., Prince, M. R.: Portal venous magnetic resonance angiography: A review, 628
Stafford-Johnson, D. B.: *see* Wilson, M. W.
Stanek, C.: *see* Rand, T.
Stanley, J.: *see* Carlos, R. C.
Steffens, J.-C., Link, J., Heller, M.: Contrast-enhanced magnetic resonance angiography of the cervical arteries: A review, 573
Steinbrich, W.: *see* Boos, M.
Stewart, C. C.: *see* Stomper, P. C.
Stomper, P. C., Budnick, R. M., Stewart, C. C.: Breast stereotactic core biopsy washings: Abundant cell samples from clinically occult lesions for flow cytometric DNA analysis, 51
Stroszczynski, C.: *see* Ricke, J.
Strotzer, M., Gmeinwieser, J., Spahn, M., Völk, M., Fründ, R., Seitz, J., Spies, V., Alexander, J., Feuerbach, S.: Amorphous Silicon, flat-panel, x-ray detector versus screen-film radiography: Effect of dose reduction on the detectability of cortical bone defects and fractures, 33
Strotzer, M., Gmeinwieser, J. K., Völk, M., Fründ, R., Seitz, J., Feuerbach, S.: Detection of simulated chest lesions with normal and reduced radiation dose: Comparison of conventional screen-film radiography and a flat-panel x-ray detector based on amorphous silicon, 98
Sugimoto, J.: *see* Wasaki, M.
Suh, T.-S.: *see* Choe, B.-Y.
Swan, J. S., Langlotz, C. P.: Patient preference for magnetic resonance versus conventional angiography: Assessment methods and implications for cost-effectiveness analysis: An overview, 553
Sweitzer, R. H.: *see* Unger, E. C.
Sweitzer, R. H.: *see* Wu, Y.

T

Tagami, T., Sakuma, H., Matsumura, K., Takeda, K., Mori, S., Takeuchi, T., Nakano, T.: Evaluation of altered myocardial high energy phosphate metabolism in patients on maintenance dialysis using phosphorus-31 magnetic resonance spectroscopy, 171
Takahashi, M., Maguire, W. M., Ashtari, M., Khan, A., Papp, Z., Alberico, R., Campbell, W., Eacobacci, T., Herman, P. G.: Low-dose spiral computed tomography of the thorax: Comparison with the standard-dose technique, 68
Takeda, K.: *see* Aso, H.
Takeda, K.: *see* Tagami, T.
Takeuchi, T.: *see* Tagami, T.
Tanaka, E.: *see* Wasaki, M.
Tanaka, H., Sakurai, K., Kashiwagi, N., Fujita, N., Hirabuki, N., Inaba, F., Harada, K., Nakamura, H.: Transition of the craniocaudal velocity of the spinal cord: From cervical segment to lumbar enlargement, 141
Tello, R., Thomson, K. R., Witte, D., Becker, G. J., Tress, B. M.: Dynamic gadolinium DTPA-enhanced magnetic resonance of intravascular stents, 411
Thelen, M.: *see* Schunk, K.
Thomson, K. R.: *see* Tello, R.
Timoney, J. F.: *see* Runge, V. M.

Torvik, A.: *see* Haggag, K. J.
Tress, B. M.: *see* Tello, R.
Trudell, D.: *see* Ahn, J. M.
Trudell, D.: *see* Hodler, J.
Trudell, D. R.: *see* de Maeseneer, M.
Tsuruda, J. S.: *see* Parker, D. L.
Tublin, M. E.: *see* Murphy, M. E.
Tulla, H.: *see* Manninen, H. I.
Tweedle, M. F.: *see* Ranganathan, R. S.
Tyler, J. A.: *see* Kshirsagar, A. A.

U

Ueda, J., Furukawa, T., Yamamoto, T., Sakaguchi, K., Araki, Y.: Permeability of gadolinium-DTPA through two types of hemodialysis membrane, 734
Uhl, M.: *see* Allmann, K.-H.
Unger, E. C., Mccreery, T. P., Sweitzer, R. H., Caldwell, V. E., Wu, Y. Q.: Acoustically active lipospheres containing paclitaxel: A new therapeutic ultrasound contrast agent, 886
Unger, E. C.: *see* Wu, Y.

V

Vainio, P.: *see* Manninen, H. I.
Van Beers, B. E.: *see* Goudemant, J.-F.
Vanninen, R. L.: *see* Manninen, H. I.
Ventrone, R.: *see* Broillet, A.
Vielhauer, M. D.: *see* Wu, Y.
Vincent, D. J.: *see* Bohning, D. E.
Voegele, T.: *see* Rand, T.
Vogl, T. J., Hänninen, E. L., Bechstein, W. O., Neuhaus, P., Schumacher, G., Felix, R.: Biphasic spiral computed tomography versus digital subtraction angiography for evaluation of arterial thrombosis after orthotopic liver transplantation, 136
Vogl, T. J.: *see* Hänninen, E. L.
Völk, M.: *see* Strotzer, M.
Von Brenndorf, A. I.: *see* Luedemann, W.
Vorwerk, D.: *see* Wildberger, J. E.
Vymazal, J.: *see* Bulte, J. W. M.

W

Wagner, H.-J.: *see* Hoppe, M.
Wagner, M.: *see* Gründer, W.
Walday, P.: *see* Haggag, K. J.
Walter, C.: *see* Jung, G.
Walter, M., Schellhammer, F., Schumacher, M.: Are superabsorbers useful for endovascular embolization of saccular aneurysms? An in vitro study, 366
Walter, O.: *see* Allmann, K.-H.
Ward, J. S.: *see* Carlos, R. C.
Wasaki, M., Kawamura, H., Sugimoto, J., Shimada, M., Satoh, Y., Tanaka, E., Gemba, M.: Comparative toxic effects of Iobitridol and iohexol on the kidney, 393
Watson, P. J.: *see* Kshirsagar, A. A.
Weber, S.: *see* William, C.
Weinert, D.: *see* Muhle, C.
Weinmann, H. J.: *see* Dong, Q.
Weissleder, R.: *see* Frank, H.
Wendland, M. F.: *see* Geschwind, J.-F. H.
Werner, A.: *see* Gründer, W.
Wesner, F.: *see* Müller-Hülsbeck, S.
Whiting, J. S.: *see* Eckstein, M. P.
Wible, J., Jr., Wojdyla, J., Bugaj, J., Brandenburger, G.: Effects of inhaled gases on the ultrasound contrast produced by microspheres containing air or perfluoropropane in anesthetized dogs, 871
Wible, J. H., Jr.: *see* Klibanov, A. L.
Wienert, V.: *see* Wildberger, J. E.
Wildberger, J. E., Vorwerk, D., Kilbinger, M., Piroth, W., Hunter, D. W., Wienert, V., Günther, R. W.: Bedside testing (SimpliRED) in the diagnosis of deep vein thrombosis: Evaluation of 250 patients, 232
William, C., Mäurer, J., Schroeder, R., Hidajat, N., Hell, B., Bier, J., Weber, S., Felix, R.: Assessment of vascularity in reactive lymph nodes by means of D-galactose contrast-enhanced Doppler sonography, 146
Williams, D. M.: *see* Wilson, M. W.
Williams, N. M.: *see* Runge, V. M.
Wilson, M. W., Hamilton, B. H., Dong, Q., Stafford-Johnson, D. B., Kazanjian, S. N., Williams, D. M., Marx, M. V., Cho, K. J., Prince, M. R.: Gadolinium-enhanced magnetic resonance venography of the portal venous system prior to transjugular intrahepatic portosystemic shunts and liver transplantation: Original investigation, 644
Wiskirchen, J.: *see* Muhle, C.
Witte, D.: *see* Tello, R.
Wojdyla, J.: *see* Wible, J.
Wojdyla, J. K.: *see* Klibanov, A. L.
Wolf, M.: *see* Ricke, J.
Won, H. J.: *see* Park, K. S.
Woodard, P. K.: *see* Li, D.
Wu, C.: *see* Bulte, J. W. M.
Wu, G.: *see* Wu, Y.
Wu, Y., Unger, E. C., McCreery, T. P., Sweitzer, R. H., Shen, D., Wu, G., Vielhauer, M. D.: Binding and lysing of blood clots using MRX-408, 880
Wu, Y. Q. : *see* Unger, E. C.

X

Ximitidou, O.: *see* Mironidou, M.

Y

Yamada, C. Y., Grygotis, L. A., Kaufman, J.: Gadolinium-enhanced magnetic resonance angiography of the aorta: A review, 618
Yamakawa, M.: *see* Shiojima, K.
Yamamoto, T.: *see* Ueda, J.
Yasuda, R., Munechika, H.: Delayed adverse reactions to nonionic monomeric contrast-enhanced media, 1
Yeon, K. M.: *see* Park, K. S.
Yim, J. I.: *see* Ahn, M. I.
Ylä-Herttuala, S.: *see* Manninen, H. I.
Yoo, J.: *see* Ahn, M. I.
Young, A. B.: *see* Lee, C.

Z

Zanetti, M., Gerber, C., Hodler, J.: Quantitative assessment of the muscles of the rotator cuff with magnetic resonance imaging, 163
Zhang, J.: *see* Duarte, C. G.
Zhang, J. J., Raichlen, J. S., Kim, S. M., Maniet, A. R., Intenzo, C. M.: Computer-assisted myocardial thickening analysis of gated MIBI SPECT images, 257
Zhang, X.: *see* Ranganathan, R. S.
Zheng, B.: *see* Chang, Y.-H.
Zheng, J.: *see* Li, D.
Zhu, Y. M.: *see* Dromigny-Badin, A.

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION (Act of August 2, 1970: Section 3685, Title 39 United States Code) Date of Filing—October 1, 1998; Title of Publication—*INVESTIGATIVE RADIOLOGY*; Frequency of Issue—Monthly; Annual Subscription Price—$193.00; Location of Known Office of Publication—Lippincott Williams & Wilkins, 12107 Insurance Way, Suite 114, Hagerstown, MD 21740; Location of Headquarters or General Business Offices of the Publisher—227 East Washington Square, Philadelphia, PA 19106; Publisher—Lippincott Williams & Wilkins 227 East Washington Square, Philadelphia, PA 19106; Editor—Val M. Runge, MD, University of Kentucky, A122 Kentucky Clinic, 800 Rose St., Lexington, KY 40536-0824; Managing Editor—Karen Harmon, Lippincott Williams & Wilkins, 1803 Research Blvd., Ste 300, Rockville, MD 20850. Owner—Lippincott Williams & Wilkins, a wholly owned subsidiary of Wolters Kluwer, U.S. Corporation, 227 East Washington Square, Philadelphia, PA 19106, 1185 Avenue of the Americas, 36th Floor, New York, NY 10036; Wolters Kluwer nv, Stadouderskade 1, 1054 FS Amsterdam, The Netherlands. Known bondholders, mortgagees, and other security holders owning or holding 1 percent or more of total amount of bonds, mortgages, or other securities—none. A. Total no. copies printed (*net press run*), average 1368, actual 1200; B. Paid circulation 1. Sales through dealers and carriers, street vendors and counter sales, average none, actual none; 2. Mail subscriptions, average 705, actual 644; C. Total paid circulation, average 705, actual 644; D. Free distribution by mail, samples, complimentary, and other free copies, average 87, actual 123; E. Free distribution outside mail (carriers of other means), none; F. Total free distribution (*sum of D and E*), average 87, actual 123. G. Total distribution (*sum of C and F*), average 792, actual 767; H. Copies not distributed. Office use, leftover, unaccounted, spoiled after printing, average 576, actual 433. Returns from news agents, none; I. Total (*sum of G and H—should equal net press run shown in A*), average 1368, actual 1200. Percent paid and/or requested circulation average 89%, actual 84%. I certify that the statements made by me above are correct and complete. Beverly V. Dietrich, *Circulation Director.*